

8160 WOLCOTT ROAD EAST AMHERST, NEW YORK T 716.741.4072 F 716.741.4065

DATE: \_\_\_\_\_ JOB NAME: \_\_\_\_\_

NAME: \_\_\_\_\_

COMPANY: \_\_\_\_\_

ADDRESS: \_\_\_\_\_

CITY: \_\_\_\_\_ STATE: \_\_\_\_\_ ZIP: \_\_\_\_\_

PHONE: \_\_\_\_\_ FAX: \_\_\_\_\_ email: \_\_\_\_\_

## HALF ROUND


QUANTITY: \_\_\_\_\_ SPECIES: \_\_\_\_\_

DIAMETER: \_\_\_\_\_

CASING PROFILE, WIDTH \_\_\_\_\_ THICKNESS \_\_\_\_\_

JAMB, WIDTH \_\_\_\_\_ THICKNESS \_\_\_\_\_

EXTENTION JAMB, WIDTH \_\_\_\_\_ THICKNESS \_\_\_\_\_



## ARCH TOP


QUANTITY: \_\_\_\_\_ SPECIES: \_\_\_\_\_

RISE: \_\_\_\_\_ WIDTH AT SHOULDER: \_\_\_\_\_

CASING PROFILE, WIDTH \_\_\_\_\_ THICKNESS \_\_\_\_\_

JAMB, WIDTH \_\_\_\_\_ THICKNESS \_\_\_\_\_

EXTENTION JAMB, WIDTH \_\_\_\_\_ THICKNESS \_\_\_\_\_



## ELLIPTICAL Requires Full Size Pattern Prior to Manufacturing


QUANTITY: \_\_\_\_\_ SPECIES: \_\_\_\_\_

RISE: \_\_\_\_\_ WIDTH: \_\_\_\_\_

CASING PROFILE, WIDTH \_\_\_\_\_ THICKNESS \_\_\_\_\_

JAMB, WIDTH \_\_\_\_\_ THICKNESS \_\_\_\_\_

EXTENTION JAMB, WIDTH \_\_\_\_\_ THICKNESS \_\_\_\_\_



8160 WOLCOTT ROAD EAST AMHERST, NEW YORK T 716.741.4072 F 716.741.4065

DATE: \_\_\_\_\_ JOB NAME: \_\_\_\_\_

NAME: \_\_\_\_\_

COMPANY: \_\_\_\_\_


ADDRESS: \_\_\_\_\_

CITY: \_\_\_\_\_ STATE: \_\_\_\_\_ ZIP: \_\_\_\_\_

PHONE: \_\_\_\_\_ FAX: \_\_\_\_\_ email: \_\_\_\_\_

## INSIDE CORNERS




QUANTITY: \_\_\_\_\_ SPECIES: \_\_\_\_\_



CROWN PROFILE, REACH \_\_\_\_\_ DEPTH \_\_\_\_\_ OUTSIDE RADIUS: \_\_\_\_\_


CHAIR RAIL, WIDTH \_\_\_\_\_ THICKNESS \_\_\_\_\_ OUTSIDE RADIUS: \_\_\_\_\_

BASEBOARD, WIDTH \_\_\_\_\_ THICKNESS \_\_\_\_\_ OUTSIDE RADIUS: \_\_\_\_\_



## OUTSIDE CORNERS

QUANTITY: \_\_\_\_\_ SPECIES: \_\_\_\_\_



CROWN PROFILE, REACH \_\_\_\_\_ DEPTH \_\_\_\_\_ INSIDE RADIUS: \_\_\_\_\_

CHAIR RAIL, WIDTH \_\_\_\_\_ THICKNESS \_\_\_\_\_ INSIDE RADIUS: \_\_\_\_\_

BASEBOARD, WIDTH \_\_\_\_\_ THICKNESS \_\_\_\_\_ INSIDE RADIUS: \_\_\_\_\_

